

FXairguns MADE IN SWEDEN





MADE IN SWEDEN

FX Airguns was founded by Fredrik Axelsson in the small picturesque town of Mariestad, Sweden in 1999. As a passionate airgun enthusiast, he was constantly on the look for the best airgun available. When Fredrik didn't find what he was looking for, he started on the journey to create the airgun of his dreams. Two decades later, he has more than succeeded.

The highly skilled FX team (with Fredrik at its helm) has since its small beginnings, relentlessly introduced cutting edge technologies that has propelled the airgun industry into a new era where FX Airguns are globally considered an industry leader. As intricate as their guns are, the philosophy behind their creations is quite simple; to provide the most exceptional airgun in every possible way; and so, they have.

FX Airguns are lovingly handcrafted by a team of over 50 Swedish craftsmen and engineers that have honed their skills to perfection; and airgun lovers worldwide have

rightfully come to expect much from them. An FX Airgun won't leave the factory until it has been thoroughly tested in all aspects of its masterfully engineered capacities. FX Airguns provide superior accuracy, dependable consistency, as well as being remarkably quiet, efficient and extremely powerful. Inevitably, FX Airguns are known for outperforming their competition with ease.

Their merit list is long. FX Airguns have been a trailblazer for the airgun industry since its inception. They have more patents, unique innovations and are more technologically advanced than any other airgun manufacturer existing today.

The backbone of FX Airguns has always been and will always be their deep passion for the airgun sport and their drive to outperform yesterday. With new technology always pushing the limits of what is possible, who knows what incredible airguns are yet to be invented, in the cradle of the minds from Mariestad.



THE DREAMLINE

With the arrival of the FX Dreamline, innovation that was previously only dreamed about, is now a reality. The FX Dreamline is the first fully modular airgun system in the world. The modular design allows the rifle to change to any of the Dreamline configurations. Today's hunting bullpup can be converted for the weekend field target match. The classic sporter rifle can be switched out to house all your favorite AR furniture and accessories. Whatever you can imagine is possible with the FX Dreamline.

The beauty of the FX Dreamline starts with the revolutionary world class FX Smooth Twist X barrel (STX). This is the same barrel housing and liner system as found on other elite rifles such as the FX Impact, FX Crown and FX Wildcat. The STX barrel allows the Dreamline the unique ability of changing both the caliber of the gun as well as the inner liner of the barrel to allow for different twist rates and other bore specifications. This provides a tailored barrel to meet the vast array of projectiles available today.

The Dreamline also includes the new AMP Regulator (Adjustable Match Precision Regulator). This robust regulator is revolutionary in that it can be adjusted externally either to higher

or lower pressures without the need to remove pressure from the gun. The AMP regulator also uses the latest in high performance parts to provide precision accuracy that holds up over time.

The FX Dreamline features the same adjustability as found on other premium FX rifles. All adjustments can be fine tuned including valve flow, hammer tension, and regulator pressure. These adjustments are done quickly and easily allowing the shooter find harmonic balance and maximize the performance and accuracy of the Dreamline.

All FX Dreamline models utilize a large capacity rotary magazine. This is the same magazine used in the FX Crown and is indexed with the smooth cocking side lever. This newly designed side lever takes the ease of cocking a rifle to a whole new level as it is nearly effortless to cock.

Most Dreamline models offer a standard 220 cc cylinder filled up to 230 BAR, but there are also bottle versions of many of the configurations which will allow for more air and higher shot counts. 1/2" UNF threads on the barrel allow for the optional addition of a moderator. The FX Dreamline also features the world-famous FX match grade trigger, set at 15 ounces from the factory.



The Dreamline Classic Laminate Black Pepper



The Dreamline Classic Walnut



The Dreamline Classic Synthetic

THE DREAMLINE CLASSIC

The FX Dreamline Classic is the natural evolution of the FX Streamline. FX has taken the proven Streamline platform and added world class features that take it to the next level; bridging the gap to rifles such as the FX Crown and FX Impact.

Cocking system	Sidelever	Fill pressure	230 Bar • 3300 Psi	Air capacity	4,5 (.177) 220 cc 5,5 (.22) 220 cc 6,35 (.25) 290 cc 7,62 (.30) 290 cc
Magazine type	Removable high capacity 22 shot when Cal .177 18 shot when Cal .22 16 shot when Cal .25 13 shot when Cal .30	Safety	Manual	Optics	11 mm dovetail scope mount
Stock	Synthetic Walnut Laminate Black Pepper	Muzzle	1/2" UNF	Pressure gauge	One for airtube pressure One for regulator pressure
Calibre	4,5 (.177) 5,5 (.22) 6,35 (.25) 7,62 (.30)	Trigger	Adjustable match trigger	Length	4,5 (.177): 975 mm 5,5 (.22): 975 mm 6,35 (.25): 1090 mm 7,62 (.30): 1090mm
Barrel	FX Smooth twist X Match grade Free floating Length 4,5 (.177): 500 mm Length 5,5 (.22): 500 mm Length 6,35 (.25): 600 mm Length 7,62 (.30): 600 mm	Velocity	4,5 (.177): 295 m/s • 940 ft/s 5,5 (.22): 280 m/s • 920 ft/s 6,35 (.25): 270 m/s • 890 ft/s 7,62 (.30) TBA	Weight	Synthetic: 2,6 kg Walnut: 2,8 kg Laminate: 2,9 kg
		Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 60 J • 45 ft/lbs 7,62 (.30) TBA	Charging	Quick charge system Mk1
				More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





The Dreamline Lite

THE DREAMLINE LITE

The FX Dreamline Lite is a new look model unlike other FX rifles from the past. Weighing in at 5 1/2 pounds, this Dreamline lives up to its name of being ultra-light weight. It is also the most customizable of all the Dreamline models. The compact version

provides an ultra-packed airgun into a very small package without removing any of the features of the standard Dreamline. Perfect for throwing in a backpack or having ready for that spur of the moment hunting opportunity.



The Dreamline Lite Compact version



The Dreamline Lite Bottle version



The Dreamline Lite Compact version with extended shroud



The Dreamline Lite Bottle version with extended shroud

THE DREAMLINE LITE

Cocking system	Sidelever	Fill pressure	230 Bar • 3300 Psi	Air capacity	4,5 (.177) 220 cc 5,5 (.22) 220 cc 6,35 (.25) 290 cc 7,62 (.30) 290 cc
Magazine type	Removable high capacity 22 shot when Cal .177 18 shot when Cal .22 16 shot when Cal .25 13 shot when Cal .30	Safety	Manual	Optics	11 mm dovetail scope mount
Stock	Synthetic, Quick release rear stock. Grip AR15 (hogue pistol grip included)	Muzzle	½" UNF	Pressure gauge	One for airtube pressure One for regulator pressure
Calibre	4,5 (.177) 5,5 (.22) 6,35 (.25) 7,62 (.30)	Trigger	Adjustable match trigger	Velocity	4,5 (.177): 295 m/s • 940 ft/s 5,5 (.22): 275 m/s • 910 ft/s 6,35 (.25): 270 m/s • 890 ft/s 7,62 (.30) TBA
Barrel	FX Smooth twist X Match grade Free floating length 4,5 (.177): 500 mm length 5,5 (.22): 500 mm length 6,35 (.25): 600 mm length 7,62 (.30): 600 mm	Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 65 J • 47 ft/lbs 7,62 (.30) TBA	Length	4,5 (.177): 960 mm 5,5 (.22): 960 mm 6,35 (.25): 1060 mm 7,62 (.30): 1060mm
		Weight	2,6 kg	Charging	Quick charge system
		More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



The Dreamline Bullpup

THE DREAMLINE BULLPUP

The Dreamline Bullpup takes the same Dreamline internals of the other models but fits it into a bullpup configuration to shorten the overall. Yet retaining all the adjustability and still utilizing the high capacity magazine of the standard Dreamlines.



The Dreamline Bullpup Bottle

Cocking system	Sidelever	Fill pressure	230 Bar • 3300 Psi	Air capacity	4,5 (.177) 220 cc 5,5 (.22) 220 cc 6,35 (.25) 290 cc 7,62 (.30) 290 cc
Magazine type	Removable high capacity 22 shot when Cal .177 18 shot when Cal .22 16 shot when Cal .25 13 shot when Cal .30	Safety	Manual	Optics	11 mm dovetail scope mount
Stock	Synthetic	Muzzle	½" UNF	Pressure gauge	One for airtube pressure One for regulator pressure
Calibre	4,5 (.177) 5,5 (.22) 6,35 (.25) 7,62 (.30)	Trigger	Adjustable match trigger	Length	4,5 (.177): 720 mm 5,5 (.22): 720 mm 6,35 (.25): 835 mm 7,62 (.30): 835 mm
Barrel	FX Smooth twist X Match grade Free floating Length 4,5 (.177): 500 mm Length 5,5 (.22): 500 mm Length 6,35 (.25): 600 mm Length 7,62 (.30): 600 mm	Velocity	4,5 (.177): 295 m/s • 940 ft/s 5,5 (.22): 280 m/s • 920 ft/s 6,35 (.25): 270 m/s • 890 ft/s 7,62 (.30) TBA	Weight	Synthetic: 2,4 kg
		Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 60 J • 45 ft/lbs 7,62 (.30) TBA	Charging	Quick charge system
				More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





The Dreamline Tactical

THE DREAMLINE TACTICAL

The Dreamline Tactical brings AR options like the mil-spec receiver tube, full picatinny scope rail, and more to the airgunner who would like to add common AR parts and options to their airgun. The compact version provides

an ultra-packed airgun into a very small package without removing any of the features of the standard Dreamline. Perfect for throwing in a backpack or having ready for that spur of the moment hunting opportunity.



The Dreamline Tactical Compact version



The Dreamline Tactical Bottle version



THE DREAMLINE TACTICAL

Cocking system	Sidelever	Fill pressure	230 Bar • 3300 Psi	Air capacity	4,5 (.177) 220 cc 5,5 (.22) 220 cc 6,35 (.25) 290 cc 7,62 (.30) 290 cc
Magazine type	Removable high capacity 22 shot when Cal .177 18 shot when Cal .22 16 shot when Cal .25 13 shot when Cal .30	Safety	Manual	Optics	Picatinny
Stock	AR15 Ready (not included) Grip AR15 (hogue pistol grip included)	Muzzle	1/2" UNF	Pressure gauge	One for airtube pressure One for regulator pressure
Calibre	4,5 (.177) 5,5 (.22) 6,35 (.25) 7,62 (.30)	Trigger	Adjustable match trigger	Length	Approximately 700 - 800mm without stock
Barrel	FX Smooth twist X Match grade Free floating Length 4,5 (.177): 500 mm Length 5,5 (.22): 500 mm Length 6,35 (.25): 600 mm Length 7,62 (.30): 600 mm	Velocity	4,5 (.177): 295 m/s • 940 ft/s 5,5 (.22): 280 m/s • 920 ft/s 6,35 (.25): 270 m/s • 890 ft/s 7,62 (.30) TBA	Weight	Approximately 2,1 kg without stock
		Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 60 J • 45 ft/lbs 7,62 (.30) TBA	Charging	Quick charge system
				More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





The Crown Laminate Forest Green

THE CROWN

Embodying every technical advancement FX has conceived to date, the brand-new FX Crown is quite simply Airgun Royalty. With a ground-breaking new barrel system that has left the airgun world speechless and gun manufacturers everywhere in a state of shock, the FX Crown is the most progressively engineered and accurate air rifle ever created. Period.

After receiving such critical acclaim to the superior features of the earlier FX Impact, the FX engineers knew that many would desire these same features in a more traditionally designed hunting rifle. Enter, the Crown. The newly announced FX Crown is extraordinary; not just for incorporating a plethora of adjustments and fine-tuning options, but also for ushering in the advancement of the FX Smooth Twist X Barrel and Interchangeable Barrel Liner System. The Smooth Twist X Barrel is a fully rifled barrel using the proprietary system of imparting the inner rifling of the barrel from the outside of the steel tubing, all housed as an interchangeable barrel liner that allows for changing of barrel twist rates, and other bore specifications which allow for a wider array of projectile use.

With the Crown, the same adjustability features previously

found on the FX Impact are retained. You can fine tune the hammer tension via an accessible power wheel adjuster, externally adjust the air regulator as well as adjusting the air flow. With these cutting-edge features, the Crown provides countless degrees of fine tuning to suit your individual needs and to maximize your air rifle to its optimal performance.

Other features include an adjustable match grade trigger, 480 cc light weight carbon fiber air bottle, telescoping moderator, large capacity magazine, and an extremely smooth side cocking lever. The lever itself is so accurately placed and so perfectly engineered that it allows for the shooter to cycle and cock the gun without ever needing to pull their eye from their scope. This all-in-one rifle also allows for the quick change of any of its four available calibers (.177, .22, .25 or .30) by acquiring additionally available barrel kits.

Having already claimed its first competition victory (it was the winning rifle used in the annual 2017 "Extreme Benchrest" competition), the FX Crown is the next generation of airguns and will easily maintain the Royal Gold Standard of KING of all air rifles.



The Crown Laminate Black Pepper



The Crown Yellow



THE CROWN

Cocking system	Sidelever	Optics	11 mm dovetail scope mount	Air cylinder	Removable, Carbon fiber wrapped
Magazine type	Removable high capacity 22 shot when Cal .177 18 shot when Cal .22 16 shot when Cal .25 13 shot when Cal .30	Muzzle	Built-In Shroud (variations may occur depending on country).	Length	970 - 1030 mm
Stock	Coloured Laminate Ambidextrous Adjustable recoil-pad Thumbhole Adjustable cheek-piece Walnut Ambidextrous Adjustable recoil-pad Thumbhole Synthetic Ambidextrous Adjustable recoil-pad Thumbhole	Pressure gauge	Dual Manometers. One for airtube pressure One for regulator pressure	Weight	Laminat 2,9 kg Walnut 2,8 kg Synthetic 2,6 kg
Barrel	FX Smooth twist X Match grade	Trigger	Adjustable Match Trigger (variations may occur).	Charging	Foster Quick Disconnect
		Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 65 J • 47 ft/lbs 7,62 (.30): 102 J • 75 ft/lbs	Rifle Features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) Dual External Power Adjusters (hammer spring tension and airflow) AMP Externally adjustable pressure regulator Interchangeable Caliber System
		Fill pressure	Max 250 bar (3600 psi)		
		Safety	Switch style		
		Air capacity	480 cc		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



THE CROWN ARROW

Same technology as the Crown airgun but tuned for arrow shooting. It has the same adjustability features as on the Crown airgun.

You can fine tune the hammer tension via an accessible power wheel adjuster, externally adjust the air regulator as well as adjusting the air flow. With these cutting-edge features,


the Crown provides countless degrees of fine tuning to suit your individual needs and to maximize your air rifle to its optimal performance.

Other features include an adjustable match grade trigger, 480 cc light weight carbon fiber air bottle and an extremely smooth side cocking lever. The KING of all air rifles just got better.

Cocking system	Sidelever	Safety	Switch style	Air capacity	480 cc
Magazine type	Compatible with Crown magazines.	Optics	11 mm dovetail scope mount	Air cylinder	Removable Carbon fiber wrapped
Stock	Coloured Laminate Ambidextrous Adjustable recoil-pad Thumbhole Adjustable cheek-piece Walnut Ambidextrous Adjustable recoil-pad Thumbhole Synthetic Ambidextrous Adjustable recoil-pad Thumbhole	Pressure gauge	Dual Manometers One for airtube pressure One for regulator pressure	Length	980 mm
Calibre	Compatible with Crown barrels	Trigger	Adjustable Match Trigger	Weight	Laminat 2,9 kg Walnut 2,8 kg Synthetic 2,6 kg
Barrel	Arrow version	Velocity	Arrow: 90 m/s • 295 ft/s Note: above figures is factory recommended FAC Power output, but can be turned higher/lower if needed.	Charging	Foster Quick Disconnect
Fill pressure	Max 250 bar (3600 psi)	Energy	Arrow: 80 J • 59 ft/lbs Note: above figures is factory recommended FAC Power output, but can be turned higher/lower if needed.	More features	Dual External Power Adjusters (hammer spring tension and airflow) AMP Externally adjustable pressure regulator Interchangeable Caliber System

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





The Impact MkII Black

*Fully regulated with possibilities to change caliber swiftly.
Four picatinny rails for easy adapt of accessories.
Available in two colors, Standard Black or Silver Edition.*



The Impact MkII Silver

THE IMPACT MKII

Every so often there are leaps forward in technology that forever change our perception of what is possible. The FX Impact is such a phenomenon and has permanently pushed forward the boundaries of what to expect from an air rifle.

This all-in-one air rifle has been engineered to satisfy the most demanding airgun shooter with high-performance features. The Impact is completely adjustable: air valve control, hammer spring tension, and even regular adjustments can be made externally to allow for various shooting scenarios.

The Impact now incorporates the new FX Smooth Twist X Barrel which is a fully rifled barrel liner. FX's proprietary process of imparting the inner rifling of the barrel from the outside of the steel tubing, is an outstanding upgrade in airgun accuracy. This Smooth Twist X Barrel is housed in the Interchangeable Barrel Liner System allowing the shooter

to swap and change barrel liners of various twist rates, bore specifications and more; all to tailor the barrel to different projectile sizes. The breech and barrel assembly also incorporate a quick-change system that allows for any of the four calibers (.177, .22, .25 or .30) to be used. All that is required is an extra barrel and pellet probe for each caliber.

Other notable features of this bullpup include a unique match grade trigger system that does not rely on connection rods or linkages. The smooth side cocking lever is placed perfectly above the trigger to allow for the quickest possible follow-up shot. This high powered and tactical, yet lightweight and compact airgun is a sensational piece of cutting-edge technology. With all these features wrapped into one rifle, the FX Impact will continue to be the benchmark for air rifles worldwide.



Comes delivered in a compact hard case with room for two barrels, pellet probes, spare magazines and ammunition. And there is also plenty of room for optics.

THE IMPACT MKII

Cocking system	Forward positioned sidelever	Optics	Picatinny rail	Length	745 mm
Magazine type	Removable high capacity 38 shot when Cal .177 28 shot when Cal .22 28 shot when Cal .25 23 shot when Cal .30	Muzzle	Built-In Shroud system with additional moderator. (variations may occur depending on country).	Weight	3,2 kg
Stock	AR15 style grip Hogue rubber grip delivered as standard Adjustable recoilpad (height)	Pressure gauge	One for airtube pressure One for regulator pressure	Charging	Foster Quick Disconnect
Caliber	4,5 (.177) 5,5 (.22) 6,35 (.25) 7,62 (.30)	Velocity	4,5 (.177): 300 m/s • 1000 ft/s 5,5 (.22): 280 m/s • 920 ft/s 6,35 (.25): 270 m/s • 900 ft/s 7,62 (.30): 265 m/s • 870 ft/s Note: above figures is factory recommended FAC Power output, but can be turned higher/lower if needed.	More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator Power adjuster (hammer spring tension) Valve adjuster (valveflow tuning) Interchangeable Caliber System Multiple Accessory rails (picatinny) sides and bottom Match Trigger
Barrel	FX Smooth Twist X Match grade Free floating Length 500 mm 4.5 (.177) Length 600 mm 5.5 (.22) Length 600 mm 6.35 (.25) Length 600 mm 7.62 (.30)	Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 65 J • 47 ft/lbs 7,62 (.30): 102 J • 75 ft/lbs Note: above figures is factory recommended FAC Power output, but can be turned higher/lower if needed.	Accessories	Ergo tactical grip, deluxe. Barrel Kit (pellet probe and barrel with shroud) 700 mm Barrel Kit (pellet probe and barrel with fixed shroud)
Shot capacity	4,5 (.177) 180 shots approx 5,5 (.22): 130 shots approx 6,35 (.25): 100 shots approx 7,62 (.30): 40 shots approx	Air capacity	480 cc		
Fill pressure	Max 250 bar (3600 psi)	Air cylinder	Carbon fiber tank		
Safety	Switch style				

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



Setting new standards to Bullpup systems. Extremely light and well balanced with the side-lever positioned near the grip. Regulated to ensure best possible consistency.



The Wildcat MKII Laminate Black Pepper

THE WILDCAT MKII

The FX Wildcat may be the perfect compact airgun. Beautifully balanced, light weight, smooth cocking, and featuring a trigger that would be exceptional on any rifle, let alone a bullpup. The original Wildcat upon its debut in 2015, quickly became a top selling airgun the world over. Now in 2018 FX's engineers have brought us the Wildcat MKII.

The MKII builds upon the groundbreaking Wildcat, adding the all new FX Interchangeable Barrel Liner System. This is the system that allows users the ability to exchange barrel liners, and if desired upgrade the FX Smooth Twist barrel liner that comes standard with the MKII, to an upgraded FX Smooth Twist X Barrel. The X Barrel liner is a fully rifled smooth twist barrel, available in varying twist rates and bore specifications that tailor to the vast array of airgun projectile weights and shapes.

This new barrel system lends to a Wildcat that is now

much lighter in hand. Other upgrades include an upgraded reloading mechanism, trigger, and updated airflow that obtains better consistency and shot count.

The rest of the original Wildcat stays perfectly undisturbed. Features include the highly accurate internal air regulator, easy load magazine system, finger print resistant finish on all high-grade aluminum parts, and a fully shrouded barrel. The cocking lever has been perfected to be the smoothest operating sidelever possible with only the highest quality materials used. Forward placement of the lever provides quick and soft cocking of the gun with only the slightest of hand movement away from the trigger.

The Wildcat MKII enhancements continues to solidify its status as the perfectly designed and executed bullpup featuring all the performance and accuracy that has established FX Airguns as the finest airgun manufacturer in the world.



The Wildcat MKII Synthetic



The Wildcat MKII Walnut



The Wildcat MKII Compact Synthetic

THE WILDCAT MKII

Cocking system	Sidelever	Optics	11mm dovetail scope mount	Air cylinder	Not removable
Magazine type	8 shot in cal 4,5 (.177) 8 shot in cal 5,5 (.22) 8 shot in cal 6,35 (.25) 7 Shot in cal 7,62 (.30)	Muzzle	Built-In Shroud system with additional moderator. (variations may occur depending on country).	Length	4,5 (.177): 680 mm 5,5 (.22): 680 mm 6,35 (.25): 900 mm 7,62 (.30): 900 mm
Stock	Synthetic Walnut Laminate Black Pepper	Pressure gauge	Yes	Charging	Quick charge system Mkl
Barrel	FX Smooth Twist X Match grade 4,5 (.177) Length 500 mm 5,5 (.22) Length 500 mm 6,35 (.25) Length 700 mm 7,62 (.30) Length 700 mm	Trigger	Adjustable match trigger (200 - 500 gram)	More features	Interchangeable Barrel Liner System (with changeable core barrel liner to obtain various twist rates) AMP Externally adjustable pressure regulator
Fill pressure	230 Bar • 3300 Psi	Energy	4,5 (.177): 24 J • 18 ft/lbs 5,5 (.22): 41 J • 30 ft/lbs 6,35 (.25): 65 J • 47 ft/lbs 7,62 (.30): 95 J • 70 ft/lbs	Air capacity	4,5 (.177) 230 cc 5,5 (.22) 230 cc 6,35 (.25) 350 cc 7,62 (.30) 350cc
Safety	Manual				

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





Solid bullpup action, available in calibers .177 .22 .25 and .30 making it possible to take on all possible missions. Regulated to assure best possible consistency.

THE BOBCAT MKII

In 2012, FX developed and brought into production the Bobcat air rifle. The design team looked at the current markets bullpup offerings and found most cocking systems hard and uncomfortable to use. In typical FX tradition, they were eager to push the envelope and create more functional and exciting solutions and so the Bobcat was born.

The Bobcat is a hybrid that sports the best of two action designs. Short and quick to handle as a bullpup and easy to use with high power and accuracy as a full-length rifle.

The overwhelming success of the Bobcat has inspired FX to improve on this fine shooting platform. Enter the Bobcat MKII. This new version comes standard with a competition grade regulator, and a dual pressure gauge system that reads regulator and air supply pressures.

The probe filling port has an integrated twist-open dust cover that protects the inlet valve from debris. Also new on the MKII is a cocking lever in billet aluminum. Internal improvements have also been made to increase the reliability of the rifle.

The famous match winning Smooth Twist Barrel is fitted to a single piece breech block that houses a valve and power adjusting system which provides very consistent velocity and one of the highest shot count per air volume in the industry. The Bobcat MKII provides high power, match winning accuracy with quiet operation nestled in a synthetic soft touch stock for maximum comfort in all weather conditions. The Bobcat MKII will set the standard for high precision air rifles and will not disappoint the most demanding airgun shooter.

Cocking system Sidelever

Magazine type Removable magazine
16 shot in cal 4,5 (.177)
12 shot in cal 5,5 (.22)
11 shot in cal 6,35 (.25)
9 shot in cal 7,62 (.30)

Stock Synthetic
Thumbhole
Adjustable recoil-pad

Caliber 4,5 (.177) Length 500 mm
5,5 (.22) Length 500 mm
6,35 (.25) Length 600 mm
7,62 (.30) Length 600 mm

Barrel FX Smooth Twist
Match grade

Fill pressure 220 bar • 3200 psi
(250 bar • 3600 psi Cal: 7.62)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Full Shroud

Pressure gauge Dual. One for the air tank
One for the regulator

Trigger Adjustable match trigger
(300 – 700 gram)

Velocity 4,5 (.177): 300 m/s • 1000 ft/s
5,5 (.22): 280 m/s • 920 ft/s
6,35 (.25): 265 m/s • 870 ft/s
(280 m/s • 920 ft/s regulated)
7,62 (.30): 265 m/s • 870 ft/s

Energy 4,5 (.177): 24 J • 18 ft/lbs
5,5 (.22): 41 J • 30 ft/lbs
6,35 (.25): 65 J • 48 ft/lbs
7,62 (.30): 105 J • 76 ft/lbs

Air capacity 4,5 (.177) 300 cc
5,5 (.22) 300 cc
6,35 (.25) 470 cc
7,62 (.30) 470 cc

Air cylinder Removable

Length 4,5 (.177): 750 mm
5,5 (.22): 750 mm
6,35 (.25): 940 mm
7,62 (.30): 940 mm

Weight 4,5 (.177): 3,5 kg
5,5 (.22): 3,5 kg
6,35 (.25): 3,8 kg
7,62 (.30): 3,8 kg

Charging Included fill probe

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



The Boss Laminated Black Pepper



The Boss Synthetic



The Boss Walnut

THE BOSS

“Revolutionary” is the only word that describes the FX Boss and the development of this rifle. With a custom made .30 caliber Smooth Twist barrel, the Boss has quickly proven itself in competition and in the field. The FX Boss has been designed for heavy duty, long range field work with a power output of 75 plus ft/lbs and 48 shots per fill from the regulated action. The Boss comes with a magazine that holds nine .30 caliber pellets and can also be used as a single shot. With tested accuracy of 1/2 inch at

75 yards, the Boss is deadly on coyote or small deer. The walnut thumbhole stock sports very nice grain and the synthetic option has a nice all weather soft touch coating.

The FX Boss is light in weight, easy to handle, and quiet in report. The two-stage adjustable match-grade trigger gives precise control over the shot for the most in accuracy. With the power and performance provided, the FX Boss lives up to its name.

Cocking system Sidelever

Magazine type 9 shot magazine

Stock
Syntetic
 Thumbhole
 Adjustable recoil-pad
Walnut
 Thumbhole
 Adjustable recoil-pad
Laminated Black Pepper
 Thumbhole
 Adjustable recoil-pad

Calibre 7,62 (.30)

Barrel FX Smooth Twist – Match grade
 Length 600 mm

Pressure gauge Yes

Trigger Fully Adjustable match trigger

Velocity 265 - 270 m/s • 870 ft/s

Energy 101 J – 75 ft/lbs

Air capacity 500 cc

Air cylinder Not removable

Shot capacity Approx. 48 at full power

Fill pressure Max 250 bar (3626 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Shrouded

Length 1195 mm

Weight
 Synthetic 3,2 kg
 Walnut 3,4 kg
 Laminated 3,4 kg

Charging Foster Quick Disconnect

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



Carbon fiber bottle shown in picture is not delivered as standard.

The Royale 400 Laminare Black Pepper



The Royale 400 Synthetic



The Royale 400 Walnut

THE ROYALE 400

This gun is without a doubt, an FX Flagship! FX spent two years in developing and testing the Royale breech block and valve system before it was put into production. Incorporated into the breech block is a super smooth and effortless side lever, cocking system and spring tensioned magazine. Adjustable match-grade trigger for crisp, precise release of the shot and a 3-step patented power adjuster, allows for super-fast

selection of the required power level. The power adjuster will also repeat itself with absolute precision. The 400 cc air supply provides many super accurate shots from the Smooth Twist barrel. The Royale 400 is a lightweight super gun, quiet in report with the included suppression system. A regulator also comes standard which will give more consistent shots per fill. Completely recoil free.

Cocking system	Sidelever	Pressure gauge	Air tank gauge	Safety	Manual
Magazine type	16 shot in cal 4,5 (.177) 12 shot in cal 5,5 (.22)	Trigger	Adjustable match trigger (400 - 700 g)	Optics	11 mm dovetail for scope
Stock	Synthetic Thumbhole Adjustable recoil-pad Walnut Thumbhole Adjustable recoil-pad Laminare Black Pepper Thumbhole Adjustable recoil-pad	Velocity	4,5 (.177) and 5,5 (.22) 300 m/s • 1000 ft/s	Muzzle	Shrouded
Caliber	5,5 (.22) • 4,5 (.177)	Energy	5,5 (.22) 48 Joule • 36 ft/lbs 4,5 (.177) 24 Joule • 18 ft/lbs	Length	1030 mm
Barrel	FX Smooth Twist Match grade. Free floating Length 500 mm	Air capacity	400 cc	Weight	Synthetic 3,2 kg Walnut 3,4 kg Laminare 3,4 kg
		Air cylinder	Removable	Charging	Foster Quick Disconnect
		Shot capacity	Approx. 60 at full power		
		Fill pressure	Max 220 bar (3200 psi)		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



The Royale 500 Laminare Black Pepper



The Royale 500 Synthetic



The Royale 500 Walnut

THE ROYALE 500

The Royale 500 sports all the features of the 400-series rifle with a few exceptions. The 500 is a .25 caliber with a longer smooth twist match grade barrel as well as a larger 500 cc air cylinder to provide maximum performance. The 500 comes standard with the patented power adjuster with repeatable power settings as well as internally regulated. Available in

synthetic with soft-touch surface, a luxurious walnut stock or a black pepper laminate stock. The 500 is much lighter than it appears and can be carried in the field for extended periods of time. Very high powered and recoil free, the Royale 500 is the best choice for larger pest and long-range shooting.

Cocking system	Sidelever	Pressure gauge	Air tank gauge	Optics	11 mm dovetail scop mount
Magazine type	11 shot magazine	Trigger	Adjustable match trigger (400 - 700 g)	Muzzle	Shrouded
Stock	Synthetic Thumbhole Adjustable recoil-pad Walnut Thumbhole Adjustable recoil-pad Laminare Black Pepper Thumbhole Adjustable recoil-pad	Velocity	265-270 m/s • 870-900 ft/s	Length	1195 mm
Caliber	6,35 (.25)	Energy	60 Joule • 45 ft/lbs	Weight	Synthetic 3,2 kg Walnut 3,4 kg Laminare 3,4 kg
Barrel	FX Smooth Twist – Match grade Length 600 mm	Air capacity	500 cc	Charging	Foster Quick Disconnect
		Air cylinder	Not removable		
		Shot capacity	Approx. 60 at full power		
		Fill pressure	Max 220 bar (3200 psi)		
		Safety	Manual		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



Above picture shows a Verminator in fullsize edition. Available in calibre .177, .22, .25, .30.

Comes delivered in a compact hard case with room for optics, ammunition, magazine and silencer.

THE VERMINATOR MK II

The Verminator MKII is the premier, small, takedown style rifle that is packed with high quality features. The award-winning Royale breech block is the foundation for this high-performance tack driver. With a 400-cc air cylinder and super-efficient valve system, the Verminator MKII does not disappoint. It boasts a large shot-count, three-step power adjuster, match grade barrel and an adjustable trigger. The synthetic stock is both

purpose-built and adjustable for length of pull and face position. Comes in dark-grey metallic with soft-touch surface. The multi-shot magazine combined with a super smooth side lever cocking action and gives fast follow up shots. The barrel is fully shrouded for super quiet report and choked for match accuracy. The rifle comes in a fitted case with room for additional accessories. Recoil free. Also available as full-size edition with long barrel.

Cocking system	Sidelever	Pressure gauge	Air tank gauge	Muzzle	Threaded M20
Magazine type	16 shot in cal 4,5 (.177) 12 shot in cal 5,5 (.22) 11 shot in cal 6,35 (.25)	Trigger	Adjustable match trigger (400 - 700 g)	Length	750 - 800 mm
Stock	Synthetic Adjustable recoil-pad Ambidextrous (left/right) Adjustable bottle cover cheek piece (length/angle)	Velocity	Adjustable in three steps	Weight	2,9 kg
Caliber	5,5 (.22) • 4,5 (.177)	Air capacity	400 cc	Charging	Foster Quick Disconnect
Barrel	FX Smooth Twist Length 300 mm	Air cylinder	Removable	Extras	Pressure regulator
		Fill pressure	Max 220 bar (3200 psi)		
		Safety	Manual		
		Optics	11 mm dovetail scope mount		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





Delivered in a compact hard case that includes airgun-barrel, arrowbarrel, arrows, magazine and dual optics. There is also room for silencer and ammunition.



THE VERMINATOR EXTREME

The FX Verminator Extreme is the ultimate in compact airgun versatility. We have taken into consideration all possible airgun applications and have included the necessary kit to handle any scenario with the Verminator. Upon opening the included hard case, you will find the Verminator MKII rifle and FX scope mounted with quick change mounts. Further investigation will reveal a full length barrel for high power applications as well

as a shroud extension for super quiet report. We have also included a special barrel that will shoot arrows for added fun for small to medium size game. Switching barrels is quick and easy and requires no tools. Included in the case are four target arrows and crossbow-optic with quick change mounts. Available in synthetic stock in dark-grey metallic with soft-touch surface.

Cocking system Sidelever

Magazine type 16 shot in cal 4,5 (.177)
12 shot in cal 5,5 (.22)
11 shot in cal 6,35 (.25)
9 shot in cal 7,62 (.30)

Stock Synthetic
Adjustable recoil pad
Ambidextrous (left/right)

Caliber 6,35 (.25) • 5,5 (.25)

Barrel FX Smooth Twist
500 mm. Fully shrouded

Pressure gauge Air tank gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable Low/High
Pellet 4,5 (.177) – 1000 fps
Pellet 5,5 (.22) – 970 fps
Pellet 6,35 (.25) – 900 fps
Pellet 7,62 (.30) – 870 fps

Air capacity 500 cc

Air cylinder Removable

Shot capacity Arrows - 50+ in one charge

Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Threaded M20

Length 970 -1140 mm
135 - 1305 mm with extension

Weight 3,6 kg without optics
7 kg Totally with hard-case

Charging Foster Quick Disconnect

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.





T12 Synthetic



T12 Walnut



T12 Field Target

THE T12

A lightweight rifle with few moving parts that settles for many years of trouble free shooting. It has spring tensioned removable magazine and is made in anodized aluminum. All stocks are ambidextrous/equal on both sides to suit most shooters and has bolt action cocking with safety mode. Recoil free.

Cocking system	Bolt action	Barrel	FX Smooth Twist Length 500 mm (6,35 - 600 mm)	Shot capacity	Approx. 30 + at full power
Magazine type	Spring tensioned: 6,35 (.25) holds 11 pellets 5,5 (.22) holds 12 pellets 4,5 (.177) holds 16 pellets	Pressure gauge	No	Fill pressure	Max 220 bar (3200 psi)
Stock	Synthetic Adjustable rubber recoil-pad • Ambidextrous (equal on both sides) Walnut Adjustable recoil pad • Ambidextrous (equal on both sides) Field Target Fully adjustable rubber recoil- pad (height/length/sideways) Adjustable cheek piece (height/sideways) Ambidextrous (equal on both sides)	Trigger	Adjustable match trigger (400 - 700 g)	Safety	Bolt action safety mode
		Velocity	Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 265 m/s • 870 ft/s Cal 4,5 (.177) • 300 m/s • 1000 ft/s	Optics	11 mm dovetail for scope
		Energy	Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 36 Joule • 27 ft/lbs Cal 4,5 (.177) • 27 Joule • 20 ft/lbs	Muzzle	1/2" UNF
Calibe	6,35 (.25) - 5,5 (.22) 4,5 (.177)	Air capacity	185 cc	Length	Synthetic: 930 mm Walnut ME: 940 mm Field Target: 910 - 935 mm Caliber 6,35 (.25) adds 100 mm in lenght
		Air cylinder	Not removable	Weight	Synthetic 2,2 kg Walnut ME 2,7 kg Field Target 3,2 kg
				Charging	Included fill probe
				Extras	Shrouded barrel intergraded with barrel support (adds 100 mm on total length)

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



The Typhoon Synthetic



The Typhoon Walnut



The Typhoon Field Target

THE TYPHOON

A lightweight single shot rifle with few moving parts that settles for many years of trouble free shooting. Available in lightweight synthetic or walnut that fits both left and right-hand shooters. Bolt action cocking with safety mode. Recoil free.

Cocking system	Bolt action	Pressure gauge	No	Safety	Bolt action safety mode
Magazine type	Single shot , no magazine	Trigger	Adjustable match trigger (400 - 700 g)	Optics	11 mm dovetail for scope
Stock	Synthetic Adjustable rubber recoil-pad Ambidextrous (equal on both sides) Walnut Adjustable recoil pad Ambidextrous (equal on both sides) Field Target Fully adjustable rubber recoil-pad (height/length/ sideways) Adjustable cheek piece (height/sideways Ambidextrous (equal on bot sides)	Velocity	Cal 6,35 (.25) Unavailable data Cal 5,5 (.22) • 265 m/s • 870 ft/s Cal 4,5 (.177) • 300 m/s • 1000 ft/s	Muzzle	1/2" UNF
		Energy	Cal 6,35 (.25) Unavailable data Cal 5,5 (.22) • 36 Joule • 27 ft/lbs Cal 4,5 (.177) • 27 Joule • 20 ft/lbs	Length	Synthetic 930 mm Walnut 940 mm Field Target 910 - 935 mm Caliber 6,35 (.25) adds 100 mm in lenght
Caliber	6,35 (.25) - 5,5 (.22) 4,5 (.177)	Air capacity	185 cc	Weight	Synthetic 2,2 kg Walnut 2,7 kg Field Target 3,2 kg
Barrel	FX Smooth Twist. Length 500 mm (6,35 - 600 mm)	Air cylinder	Not removable	Charging	Included fill probe
		Shot capacity	Approx. 30 + at full power	Extras	Shrouded barrel intergraded with barrel support (adds 100 mm on total length)
		Fill pressure	Max 220 bar (3200 psi)		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



THE BIATHLON MKII

The FX Biathlon MKII rifle is built in the spirit of the Olympic competition rimfire guns. This MKII version has been updated and rebuilt around the world class FX Smooth Twist X barrel system. The Smooth Twist X rifled barrel chambered in .177 caliber, provides consistent high-level accuracy that will stand up against any match barrel available. The rifle comes with a straight pull biathlon bolt that is indexing, using the distinctive thumb and forefinger method. This cycles a rotary magazine or

shooters can use an optional 5 shot straight magazine, made to match the rounds available in biathlon competitions. Other features include the fully adjustable synthetic stock, fully adjustable match grade trigger, AMP regulator (adjustable match precision regulator), harness and sling rails, and a front globe and diopter sight option. The FX Biathlon MKII is a unique rifle perfectly suited for training and competition use in biathlon, 10 meter, and other similar disciplines.

Cocking system	Sidelever, straight pull with thumb return.	Calibre*3	4,5 (.177)	Energy	4,5 (.177): 24 J • 18 ft/lbs
Magazine type	Removable. 13 shot Cal .177 delivered as standard. 5 shot straight magazine available as option.	Barrel	FX Smooth twist X Match grade Length 4,5 (.177): 500 mm	Air capacity	190 cc
Stock	Synthetic Adjustable Cheek piece height/offset. Adjustable Recoil pad height/length. Harness rails on both sides. Holes for harness in the rear of the stock. Sling rail in the bottom. Holes for sling in the rear of the stock	Fill pressure	230 Bar • 3300 Psi	Length	950-980 mm
		Optics	11 mm dovetail front and rear	Weight	2,9 kg
		Pressure gauge	One for airtube pressure One for regulator pressure	Charging	Quick charge system Mkl
		Trigger	Adjustable match trigger	More features	AMP Externally adjustable pressure regulator
		Velocity	4,5 (.177): 295 m/s • 940 ft/s		

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



THE RANCHERO ARROW

The FX Ranchero Arrow is the premier, repeating pre-charged arrow pistol on the market. It sports a synthetic stock with soft touch panels that provide the ultimate in comfort for all weather conditions.

The action has been moved rearward in the stock for better balance and control, and a new side lever handle gives better

grip for ease of use. The patented 3-step Power adjuster has clear markings for low, medium and high settings and a scope rail is standard. The adjustable trigger unit help to give this pistol the accuracy and power fx is famous for. Plastic carrying case is included. The Ranchero is the leader in high power recoil free arrow pistol performance.

Cocking system	Sidelever	Optics	11 mm dovetail scope mount	Air capacity	65 cc
Magazine type	Not available	Muzzle	Not available	Air cylinder	Removable
Stock	Synthetic Right-handed grip	Pressure gauge	Air tank gauge	Length	440 mm
Caliber	Not available	Trigger	Adjustable match trigger (400 - 700 g)	Weight	1,4 kg
Barrel	Arrow barrel	Velocity	Adjustable in three steps Approximately 68 m/s • 223fps	Charging	Quick charge system Mkl
Fill pressure	Max 220 bar (3200 psi)	Energy	Approximately 40J • 30 ft/lbs		
Safety	Manual				

NOTE: Energy stated in the info is maximum possible energy. Due to differences in regulations the rifle might be set to a lower energy, from 7,5 Joule and up. Contact your local dealer for more information.



FX-6-1814451

FX

7 8 9 10 11

FX Airguns

FXCROWN

Serial Number: FX C 115206
Max Pressure: 250 bar
Paint Powdering
MADE IN SWEDEN

1
2

FX AIRGUNS

FX AIRGUNS

OPTICS



FX Optics 6-18x44 SFIR

Objective Lens Diameter	44 mm
Diopter Adjustment Range	-2,0 / -2,0
Reticle	Illuminated Red
Parallax	10 yds-infinity - wheel adjusted
Body Tube Diameter	30 mm
Total Length	335 mm
Total Weight	750 g
Lens Coating	Fully Multi Coated



FX optics 3-12x44 ir/ao

Objective Lens Diameter	44 mm
Diopter Adjustment Range	-2,0 / +2,0
Reticle	Illuminated Red
Parallax	30 yds-infinity
Body Tube Diameter	25,4 mm
Total Length	350 mm
Total Weight	500 g
Lens Coating	Fully Multi Coated

Sight set

Complete Sight set for FX Biathlon and others with dovetail mount.

High sight base set: for height increase due to the size of the magazine, though different than in the picture.

Rearsight: Strong double base clamps and stainless steel screws suitable for all types of rifle short mounting rail allows maximum movement of the sight for all iris attachments long standard-threaded tunnel enables use of all irises and anti-glare tubes bullet shift 1,5 mm per click at 50 meters.

Iris: Adjustable over a wider range of 0,5 - 3,0 mm.

Anti-glare tub: 50 mm.

Foresight: M18 thread.

Element Grip Collar: M18.

Element: 3,6 Pole.



FX no limit scopemounts - 9-11mm or Picatinny

Vertically adjustable 3,8 mm - 4 m at 100 m shooting distance. Eliminates all problem with limits of crosshair movement for long range shooting. Always lets you use the sweet spot of your scope and fine tune with crosshairs. Easy to use and affordable! Available for 1" and 30 mm scope tubes.



Foresight mount

For mounting of diopter sight on FX rifles and others.

Compensator function. Adjustable clockwise.

Connection foresight: 11 mm dovetail.

Connection to Rifle: 1/2" thread.

Weight: 130 g.

ACCESSORIES



Three stage pump

The easiest most convenient and affordable way to charge your airguns patented three way system gives you 200 bar with ease. Maximum fill pressure 250 bar.

Features: Pressure gauge, moisture trap, particle filter (replaceable), and bleed valve.

Connections: DIN or Kevlar hose 0,5 m with 1/8" thread.



Charging kit

Complete charging device for your scuba tank.

Features: Pressure gauge, particle filter (replaceable), and bleed valve.

Connections: Kevlar hose 0,5 m with 1/8" thread and FX Fillprobe. DIN in scuba end. Also available with Stainless quick connection.

Produced in great numbers since 1999.

- The best way to get independent.

- High Quality.

- Reliable.

- Maintenance free moisture trap.

- Multiple variations.

- Usable for PCP, Soft Airguns, Paintball and others.



Four stage turbopump

The new turbopump is equipped with a patented 4 stage system. It has a unique gearing system that gives you the opportunity to gear down when it gets rough. It allows the user to choose if they want high volume (300 cc) with lower pressure. Or low volume (200 cc) with higher pressure.

Features: Pressure gauge, moisture trap, particle filter (replaceable), and bleed valve. Unique gearing system.

Connections: DIN or Kevlar hose 0,5 m with 1/8" thread.

Quick Disconnect Fill Probe

For easy swap between later model of quick charging connector and early model connector. Made of hardened steel.



Pump accessories

Various adapters DIN to 1/8". External moisture trap, easy to service and clean, 1/8" connections.



ACCESSORIES



Picatinny rail

Swap the standard rail to this on your Wildcat to be able to use picatinny mounts.



Magazines

8 shot magazines available in 4,5 (.177) and 5,5 (.22)
 9 shot magazine for 7,62 (.30)
 11 shot magazine for 6,35 (.25)
 12 shot magazine for 5,5 (.22)
 16 shot magazine for 4,5 (.177)
 New made in high grade aluminum.



Addition

Shrouded barrel with barrel support available for Typhoon, T12 and Cyclone.



Cleaning pellets

Recommended for all FX guns. Outstanding cleaning without damage to the barrel. Available in 4,5 (.177), 5,5 (.22) and 6,35 (.25).



FX pellets

High performance domed (round tip) air rifle pellets.
Calibre: 7,62 (.30) weight 3g (46,30grains).
Calibre: 7,62 (.30) weight 3,25g (50,15grains).
Calibre: 6,35 (.25) weight 1,645 g (25,4 grains).
Calibre: 5,52 (.22) weight 1,030 g (16 grains).
Calibre: 4,52 (.177) weight 0,547 g.



Plastic rifle case

Available in various dimensions.
 500 x 300 x 85 mm
 820 x 295 x 85 mm
 900 x 305 x 100 mm

Muzzle flip

Suits all FX rifles with 1/2" thread on the muzzle. Mounted as standard on the Verminator.



Gauge assembly

This gauge suits all our front airtubes. You can use it with or without barrel support.



Barrel support

Requires newer version air cylinder with raised section on end cap. Available for standard (14 mm) barrel and shrouded versions (16 mm). Replacement end cap is required if an older version of cylinder. Is to be used with barrel support.



Tube extension

Add this to your existing airtube for additional volume. Approximately 5-10 more shots at high power. 45 cc - 100 mm.



Pellet tray

Singelshot pellettray suits all FX rifles with springtensioned magazines. Available in .177 .22 .25 .30



Tube clamp

Allows easy addition of a sling, strap, bipod or other accessory without any modification to the fore end of the stock. Suitable for all airtubess with a diameter of 33 mm.

20TH
ANNIVERSARY
1999-2019

www.fxairguns.com



FX MADE IN SWEDEN
airguns

Västerängsvägen 10, 542 35 Mariestad, Sweden. info@fxairguns.com